

(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 1 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(The following sample(s) was/were submitted and identified by the applicant

as)

| 43) | |
|------------------------------|--|
| BASIC INFORMATION | |
| Type of Product | SMD C TYPE |
| Supplier Company Name | EVERLIGHT |
| Address | NO.6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN |
| Tel / Fax / Email | TEL:886-2685-6688 |
| | FAX:886-2685-6699 |
| | E-MAIL: lindawang@everlight.com |
| Contact Person | LI LING WANG |
| EVERLIGHT REPORT NO | SMD C TYPE 57 SERIES |
| | Sampling Product: 57-11-C70500H-JL9IL0DADB2737-BT-AM-SGS-12-Apr-2024 |
| PRODUCT INFORMATION | |
| Product/component Sample | Dashboard / Door Lamp |
| description | |
| Quantity (numbers or weight) | 0.0865 g |
| EVERLIGHT P/N | SMD C TYPE 57 SERIES |
| | Sampling Product: 57-11-C70500H-JL9IL0DADB2737-BT-AM |
| Product Lot No | T240212L04F969R |
| Country of Origin | TAIWAN |
| TEST INFORMATION | |
| Sample preparation | CUTTING |
| Test Method | RoHS: IEC 62321, Halogen: BS EN 14582 |
| MDL | Cd, Pb, Hg: 2 mg/kg, PBBs/PBDEs: 5 mg/kg, Halogen: 50 mg/kg |
| | |

(Sample Submitted By) : (EVERLIGHT ELECTRONICS CO., LTD.)

(Sample Receiving Date) : 28-Mar-2024

(Testing Period) : 28-Mar-2024 to 12-Apr-2024

(Test Results) : (Please refer to following pages).





PIN CODE: 28EE09



(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 2 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

: (1)

(2)

: (1)

(2)

No.1 : No.2 : No.3 : No.4 :

(Method) (Unit) (Limit)

No.1 No.2 No.3 mg/kg 2 n.d. --- --- 100

mg/kg 2 6.67



(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 3 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

| | | | MDL | | | | |
|--|---|----------------|--------|--------------|----------|------|---------|
| (Test Items) | (Method) | (Unit) | | | (Result) | | (Limit) |
| | | | | No.1 | No.2 | No.3 | |
| | IEC 62321-4: 2013+ AMD1: | mg/kg | 2 | n.d. | | | 1000 |
| | 2017 | | | | | | |
| | (With reference to IEC | | | | | | |
| | 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP- | | | | | | |
| | OES.) | | | | | | |
| | , IEC 62321-7-2: 2017 | mg/kg | 8 | n.d. | | | 1000 |
| | - | | | | | | |
| | (With reference to IEC | | | | | | |
| | 62321-7-2: 2017, analysis was | | | | | | |
| | performed by UV-VIS.) | | | | | | |
| (Monobromobiphenyl) | | mg/kg | 5 | n.d. | | | - |
| (Dibromobiphenyl) | | mg/kg | 5 | n.d. | | | - |
| | | mg/kg | 5 | n.d. | | | - |
| | | mg/kg | 5 | n.d. | | | - |
| (Pentabromobiphenyl) | | mg/kg | 5 | n.d. | | | - |
| | | mg/kg | 5 | n.d. | | | - |
| | | mg/kg | 5 | n.d. | | | - |
| | | mg/kg | 5 | n.d. | | | - |
| | IEC 62321-6: 2015 | mg/kg | 5 | n.d. | | | - |
| | / (With | mg/kg | 5 | n.d. | | | - |
| (Manahram adinhanyl athar) | reference to IEC 62321-6: | mg/kg | - | n.d. | | | 1000 |
| (Monobromodiphenyl ether) | 2015, analysis was performed | mg/kg | 5 | n.d. | | | - |
| (Dibromodiphenyl ether) (Tribromodiphenyl ether) | by GC/MS.) | mg/kg | 5 5 | n.d. | | | _ |
| (Tetrabromodiphenyl ether) | | mg/kg mg/kg | 5 | n.d. n.d. | | | - |
| (Pentabromodiphenyl ether) | | mg/kg | 5 | n.d. | | | - |
| (Hexabromodiphenyl ether) | | mg/kg | 5 | n.d. | | | _ |
| (rexactemedipiterly) | | mg/kg | 5 | n.d. | | | _ |
| (Octabromodiphenyl ether) | | mg/kg | 5 | n.d. | | | _ |
| (Nonabromodiphenyl ether) | | mg/kg | 5 | n.d. | | | _ |
| · ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' | | mg/kg | 5 | n.d. | | | - |
| diphenp | | mg/kg | - | n.d. | | | 1000 |
| 1 1 | | 5 5 | | | | | |



(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 4 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

| | | MDL | | | | |
|---------|-----------|-------------|------|------|------|---------|
| (Method | l) (Unit) | | No.1 | No.2 | No.3 | (Limit) |
| | mg/kg | j 50 | n.d. | | | 1000 |
| | mg/kg | 5 0 | n.d. | | | 1000 |
| | mg/kg | j 50 | n.d. | | | 1000 |
| | mg/kg | j 50 | n.d. | | | 1000 |
| | mg/kg | 50 | n.d. | | | - |
| | mg/kg | j 50 | n.d. | | | - |
| | mg/kg | j 50 | n.d. | | | - |
| | mg/kg | j 50 | n.d. | | | - |
| | mg/kg | j 50 | n.d. | | | - |
| | mg/kg | j 50 | n.d. | | | - |
| | mg/kg | j 50 | n.d. | | | - |
| | mg/kg | j 50 | n.d. | | | - |



(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 5 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)



(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 6 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

| (Test Items) | (Method) | (Unit) | | (Result) | | | (Limit) |
|----------------------------------|------------------------------|--------|-----|----------|------|------|---------|
| | | | | No.1 | No.2 | No.3 | |
| (Polycyclic Aromatic | | | | | | | |
| Hydrocarbons) (PAHs) | | | | | | | |
| (a) (Benzo[a]pyrene) (CAS No.: | | mg/kg | 0.2 | n.d. | | | |
| 50-32-8) | | | | | | | |
| (e) (Benzo[e]pyrene) (CAS No.: | | mg/kg | 0.2 | n.d. | | | |
| 192-97-2) | | | | | | | |
| (Benzo[a]anthracene) (CAS | 1 | mg/kg | 0.2 | n.d. | | | |
| No.: 56-55-3) | | | | | | | |
| (b) (Benzo[b]fluoranthene) | | mg/kg | 0.2 | n.d. | | | |
| (CAS No.: 205-99-2) | | | | | | | |
| (j) (Benzo[j]fluoranthene) | | mg/kg | 0.2 | n.d. | | | |
| (CAS No.: 205-82-3) | | | | | | | |
| (k) (Benzo[k]fluoranthene) | | mg/kg | 0.2 | n.d. | | | |
| (CAS No.: 207-08-9) | | | | | | | |
| (Chrysene) (CAS No.: 218-01-9) | A fPS GS 2019:01 PAK | mg/kg | 0.2 | n.d. | | | |
| (Dibenzo[a,h]anthracene) | / (With | mg/kg | 0.2 | n.d. | | | |
| (CAS No.: 53-70-3) | reference to AfPS GS 2019:01 | | | | | | |
| (Benzo[g,h,i]perylene) (CAS | PAK, analysis was performed | mg/kg | 0.2 | n.d. | | | |
| No.: 191-24-2) | by GC/MS.) | | | | | | |
| (Indeno[1,2,3-c,d]pyrene) | | mg/kg | 0.2 | n.d. | | | |
| (CAS No.: 193-39-5) | | | | | | | |
| (Anthracene) (CAS No.: 120-12-7) | | mg/kg | 0.2 | n.d. | | | |
| (Fluoranthene) (CAS No.: 206- | 1 | mg/kg | 0.2 | n.d. | | | |
| 44-0) | | | | | | | |
| (Phenanthrene) (CAS No.: 85-01- | | mg/kg | 0.2 | n.d. | | | |
| 8) | | | | | | | |
| (Pyrene) (CAS No.: 129-00-0) | 1 | mg/kg | 0.2 | n.d. | | | |
| (Naphthalene) (CAS No.: 91-20-3) | 1 | mg/kg | 0.2 | n.d. | | | |
| 15 (Sum of 15 | 1 | mg/kg | - | n.d. | | | |
| PAHs) | | | | | | | |



(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 7 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

| (Test Items) | (Mothod) | Method) (Unit) MDL | | (Result) | | | (Limit) |
|---|---|--------------------|---|----------|------|------|---------|
| (Test Rems) | (iviethod) | | | <u> </u> | | No.3 | |
| (Be) (Beryllium (Be)) (CASNo.: 7440-41-7) | US EPA 3052: 1996 (With reference to US EPA 3052: 1996, analysis was performed by ICP- OES.) | mg/kg | 2 | n.d. | | | - |
| (Cd) (Cadmium (Cd)) | IEC 62321-5: 2013 (IEC 62321-5: 2013 application of modified digestion by surface etching, analysis was performed by ICP- OES.) | | 2 | | n.d. | | 100 |
| (Pb) (Lead (Pb)) | | | 2 | | n.d. | | 1000 |
| (Hg) (Mercury (Hg)) | IEC 62321-4: 2013+ AMD1: 2017 (IEC 62321-4: 2013+AMD1: 2017 application of modified digestion by surface etching, analysis was performed by ICP- OES.) | mg/kg | 2 | | n.d. | | 1000 |
| (Cd) (Cadmium (Cd)) | IEC 62321-5: 2013 (With | mg/kg | 2 | | | n.d. | 100 |
| (Pb) (Lead (Pb)) | reference to IEC 62321-5: 2013, analysis was performed by ICP- OES.) | | 2 | | | 10.1 | 1000 |
| (Hg) (Mercury (Hg)) | IEC 62321-4: 2013+ AMD1: 2017 (With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.) | mg/kg | 2 | | | n.d. | 1000 |



(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 8 of 23



(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 9 of 23

(EVERLIGHT ELECTRONICS CO., LTD.) (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

PAHs Remark

(AfPS): GSPAHs

AfPS (German commission for Product Safety): GS PAHs requirements

1 (Category 1) 2 (Category 2) (Category 3) 30) 2009/48/EC (Materials intended to be placed in the mouth, or materials in toys (Parameter) (Directive 2009/48/EC) or articles for



(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 10 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
(NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

| PFAS Re | em ark | | | | | |
|---------|--------|------|------|------|------|------|
| | PFAS | PFAS | | PFAS | | |
| | | | | PFAS | | PFAS |
| | | (| PFAS | | PFAS |) |

(The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.))

| (Group Name) | (Substance Name) | CAS No. |
|---|---|-------------|
| | (Perfluorooctane sulfonates) (PFOS) | 1763-23-1 |
| | (PFOS-K) Potassium perfluorooctanesulfonate (PFOS-K) | 2795-39-3 |
| | (PFOS-Li) Perfluorooctanesulfonic acid, lithium salt (PFOS-Li) | 29457-72-5 |
| PFOS, & (PFOS, its salts & derivatives) | $\label{eq:PFOS-NH4} \mbox{(PFOS-NH4)}$ Perfluorooctanesulfonic acid, ammonium salt $\mbox{(PFOS-NH4)}$ | 29081-56-9 |
| | $\label{eq:pfos-nh} \mbox{(PFOS-NH(OH)$_2$)} \\ \mbox{Perfluorooctane sulfonate diethanolamine salt} \\ \mbox{(PFOS-NH(OH)$_2$)} \\$ | 70225-14-8 |
| | $ (PFO S-N (C_2H_5)_4) \\ Perfluorooctanesulfonic \\ acid, tetraethylammonium salt (PFOS-N(C_2H_5)_4) \\ $ | 56773-42-3 |
| | (PFOS-DDA) N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluorooctane-1-sulfonate (PFOS-DDA) | 251099-16-8 |



(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 11 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

| (Group Name) | (Substance Name) | CAS No. |
|---|---|------------|
| PFOS, & (PFOS, its salts & derivatives) | (POSF) Perfluorooctane sulfonyl fluoride (POSF) | 307-35-7 |
| | (PFOS-Mg) Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg) | 91036-71-4 |
| | (PFOS-Na) Perfluorooctanesulfonic acid, sodium salt (PFOS-Na) | 4021-47-0 |
| | Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctanesulfonate | 71463-74-6 |
| | (Perfluorooctanoic acid) (PFOA) | 335-67-1 |
| | (PFO A - N a) Sodium perfluorooctanoate (PFOA-Na) | 335-95-5 |
| | (PFO A - K) Potassium perfluorooctanoate (PFOA - K) | 2395-00-8 |
| PFOA, & | (PFO A - A g) Silver perfluorooctanote (PFOA-Ag) | 335-93-3 |
| (PFOA, its salts & derivatives) | (PFOA-F) Perfluorooctanoyl fluoride (PFOA-F) | 335-66-0 |
| | (APFO) Ammonium pentadecafluorooctanoate (APFO) | 3825-26-1 |
| | (PFOA-Li) Lithium perfluorooctanoate (PFOA-Li) | 17125-58-5 |



(No.): ETR24305705

(Date): 12-Apr-2024


(Page): 12 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart of heavy metal

These samples were dissolved totally by pre-conditioning method according to below flow chart.

Cr⁶⁺ test method excluded





(No.): ETR24305705

(Date): 12-Apr-2024


(Page): 13 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Flow chart of stripping method for metal analysis

/ The plating layer

of samples were dissolved totally by pre-conditioning method according to below flow chart. Cr^{6+} test method excluded





(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 14 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
(NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - PBBs/PBDEs

/ First testing process
/ Optional screen process
/ Confirmation process

/ Sample pretreatment

/ Screen analysis

/ Sample extraction
/ Soxhlet method

/
Concentrate/Dilute extracted solution

/ Filter

/ GC/MS

/ Data



(No.): ETR24305705

(Date): 12-Apr-2024


(Page): 15 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - Phthalate

/Test method: IEC 62321-8





(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 16 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart




(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 17 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
(NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - Halogen





(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 18 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
(NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(/ /) / Analytical flow chart - PFAS (including PFOA/PFOS/its related compound, etc.)

/ Sample pretreatment

/
Sample extraction by ultrasonic extraction

/
Concentrate/Dilute extracted solution

/
/Analysis was performed by GC/MS or LC/MS or LC/MS/MS

/ Data



(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 19 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

Analytical flow chart - PAHs (Polycyclic Aromatic Hydrocarbons)

Sample pretreatment

() /
Sample extracted (ultrasonic extraction) by toluene solvent

/
Analysis was performed by GC/MS

/ Data



(No.): ETR24305705

(Date): 12-Apr-2024


(Page): 20 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

() / Analytical flow chart of elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

/Reference method US EPA 3051A US EPA 3052



* US EPA 3051A

/ US EPA 3051A method does not add HF.



(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 21 of 23

rest izeboli

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

ICP-OFS

(Flow chart of digestion for the elements analysis performed by ICP-OES)



(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 22 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

*

(The tested sample / part is marked by an arrow if it's shown on the photo.)







(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 23 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)





(End of Report) **