

(No.): ETR24305709

(Date): 12-Apr-2024

(Page): 1 of 23

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(The following sample(s) was/were submitted and identified by the applicant

as) BASIC INFORMATION Type of Product Supplier Company Name Address Tel / Fax / Email

Test Report

POWER LED EVERLIGHT NO.6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN TEL:886-2685-6688 FAX:886-2685-6699

Sample preparation	CUTTING
Test Method	RoHS: IEC 62321, Halogen: BS EN 14582
MDL	Cd, Pb, Hg: 2 mg/kg, PBBs/PBDEs: 5 mg/kg, Halogen: 50 mg/kg
(28-Mar-2024 28-Mar-2024 to 12-Apr-2024 (Please refer to following pages).

PIN CODE: E5DBCD6A



(No.): ETR24305709

(Date): 12-Apr-2024

Test Report (EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN) (Test Requested) : (1) RoHS 2011/65/FU Annex II (EU) 2015/863 , DBP, BBP, DEHP, DIBP (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).) (2)PAHS (As specified by client, to test PAHs and other item(s).) (Conclusion) , DBP, BBP, (1)DEHP, DIBP RoHS 2011/65/FU Annex II (EU) 2015/863 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.) (2)(A fPS) G S (Based upon the performed tests on the PAHs 3 submitted sample(s), the test results of PAHs (15 items) comply with the limits of PAHs requirement (Category 3) Other consumer products as set by German Committee on Product Safety (AfPS) GS PAHs.) (Test Part Description)

(ER))
'EI

(Test Results)

(Test Items)	(Method)	(Unit)	MDL		(Result)		(Limit)
				No.1	No.2	No.3	
(Cd) (Cadmium (Cd))	IEC 62321-5: 2013	mg/kg	2	n.d.			100
	(With reference to IEC 62321- 5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	8.65			1000



(No.): ETR24305709

(Date): 12-Apr-2024

(Page): 3 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Items)	(Mathead)	(Linsit)	MDL		(Result)		(Lingit)
(Test items)	(Method)	(Unit)		No.1	No.2	No.3	(Limit)
(Hg) (Mercury (Hg))	IEC 62321-4: 2013+ AMD1: 2017 (With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP- OES.)	mg/kg	2	n.d.			1000
Cr(VI) (Hexavalent Chromium Cr(VI))	IEC 62321-7-2: 2017 - (With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)	mg/kg	8	n.d.			1000
(Monobromobiphenyl)		mg/kg	5	n.d.			-
(Dibromobiphenyl)		mg/kg	5	n.d.			-
(Tribromobiphenyl)		mg/kg	5	n.d.			-
(Tetrabromobiphenyl)		mg/kg	5	n.d.			-
(Pentabromobiphenyl)		mg/kg	5	n.d.			-
(Hexabromobiphenyl)		mg/kg	5	n.d.			-
(Heptabromobiphenyl)		mg/kg	5	n.d.			-
(Octabromobiphenyl)]	mg/kg	5	n.d.			-
(Nonabromobiphenyl)		mg/kg	5	n.d.			-
(Decabromobiphenyl)	IEC 62321-6: 2015	mg/kg	5	n.d.			-
(Sum of PBBs)	/ (With	mg/kg	-	n.d.			1000
(Monobromodiphenyl ether)	reference to IEC 62321-6:	mg/kg	5	n.d.			-
(Dibromodiphenyl ether)	2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.			-
(Tribromodiphenyl ether)	by GC/WIS.)	mg/kg	5	n.d.			-
(Tetrabromodiphenyl ether)	1	mg/kg	5	n.d.			-
(Pentabromodiphenyl ether)	1	mg/kg	5	n.d.			-
(Hexabromodiphenyl ether)	1	mg/kg	5	n.d.			-
(Heptabromodiphenyl ether)	1	mg/kg	5	n.d.			-
(Octabromodiphenyl ether)	1	mg/kg	5	n.d.			-
(Nonabromodiphenyl ether)	1	mg/kg	5	n.d.			-
(Decabromodiphenyl ether)	1	mg/kg	5	n.d.			-
(Sum of PBDEs)	1	mg/kg	-	n.d.			1000



(No.): ETR24305709

(Date): 12-Apr-2024

(Page): 4 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

	(Mathed)	(110;11)	MDL				(Line it)
	(Method)	(Unit)		No.1	No.2	No.3	(Limit)
(BBP) (Butyl benzyl phthalate (BBP))		mg/kg	50	n.d.			1000
		mg/kg	50	n.d.			1000
		mg/kg	50	n.d.			1000
		mg/kg	50	n.d.			1000
		mg/kg	50	n.d.			-
		mg/kg	50	n.d.			-
	IEC 62321-8: 2017 / (With reference to IEC 62321-8:	mg/kg	50	n.d.			-
	2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.			-
		mg/kg	50	n.d.			-
		mg/kg	50	n.d.			-
(DMP) (Dimethyl phthalate (DMP)) (CAS No.: 131-11-		mg/kg	50	n.d.			-
3) (DIOP) (Diisooctyl phthalate (DIOP)) (CAS No.: 27554-26-3)		mg/kg	50	n.d.			-



(No.): ETR24305709

(Date): 12-Apr-2024

(Page): 5 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

			MDL				
(Test Items)	(Method)	(Unit)			(Result)		(Limit)
				No.1	No.2	No.3	
(DNNP) (Di-n- nonyl phthalate (DNNP)) (CAS No.: 84-76-4)	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.			-
(HBCDD) (- HBCDD, - HBCDD, - HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (- HBCDD, - HBCDD, - HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237- 51-7, 134237-50-6, 134237-52-8))	IEC 62321: 2008 / (With reference to IEC 62321: 2008, analysis was performed by GC/MS.)	mg/kg	5	n.d.			-
(F) (Fluorine (F)) (CASNo.: 14762- 94-8)		mg/kg	50	n.d.			-
(CI) (Chlorine (CI)) (CASNo.: 22537-15-1)	BS EN 14582: 2016 (With reference	mg/kg	50	317			-
(Br) (Bromine (Br)) (CASNo.: 10097-32-2)	to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.			-
(I) (Iodine (I)) (CASNo.: 14362-44- 8)		mg/kg	50	n.d.			-
(PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	CEN /TS 15968: 2010 (With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.			-
(PFOA and its salts) (CAS No.: 335-67-1 and its salts)	CEN /TS 15968: 2010 (With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.			-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service and in the principal of the service of the se



(No.): ETR24305709

(Date): 12-Apr-2024

(Page): 6 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Items)	(Method)	(Unit)	MDL		(Result)		(Limit)
				No.1	No.2	No.3	
(Polycyclic Aromatic							
Hydrocarbons) (PAHs)							
(a) (Benzo[a]pyrene) (CASNo.:		mg/kg	0.2	n.d.			
50-32-8)							
(e) (Benzo[e]pyrene) (CASNo.:		mg/kg	0.2	n.d.			
192-97-2)							
(Benzo[a]anthracene) (CAS		mg/kg	0.2	n.d.			
No.: 56-55-3)							
(b) (Benzo[b]fluoranthene)		mg/kg	0.2	n.d.			
(CAS No.: 205-99-2)							
(j) (Benzo[j]fluoranthene)		mg/kg	0.2	n.d.			
(CAS No.: 205-82-3)							
(k) (Benzo[k]fluoranthene)		mg/kg	0.2	n.d.			
(CAS No.: 207-08-9)	A fPS G S 2019:01 PA K						
(Chrysene) (CASNo.: 218-01-9)	/ (With	mg/kg	0.2	n.d.			
(Dibenzo[a,h]anthracene)	reference to AfPS GS 2019:01	mg/kg	0.2	n.d.			
(CAS No.: 53-70-3)	PAK, analysis was performed						
(Benzo[g,h,i]perylene) (CAS	by GC/MS.)	mg/kg	0.2	n.d.			
No.: 191-24-2)							
(Indeno[1,2,3-c,d]pyrene)		mg/kg	0.2	n.d.			
(CAS No.: 193-39-5)							
(Anthracene) (CASNo.: 120-12-7)		mg/kg	0.2	n.d.			
(Fluoranthene) (CASNo.: 206-		mg/kg	0.2	n.d.			
44-0)							
(Phenanthrene) (CASNo.: 85-01-		mg/kg	0.2	n.d.			
8)							
(Pyrene) (CASNo.: 129-00-0)		mg/kg	0.2	n.d.			
(Naphthalene) (CASNo.: 91-20-3)		mg/kg	0.2	n.d.			
15 (Sum of 15		mg/kg	-	n.d.			
PAHs)							



(No.): ETR24305709

(Date): 12-Apr-2024

(Page): 7 of 23

Test Report

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Items)	(Method)	(Unit)	MDL		(Result)		(Limit)
				No.1	No.2	No.3	
(Be) (Beryllium (Be)) (CASNo.: 7440-41-7)	US EPA 3052: 1996 (With reference to US EPA 3052: 1996, analysis was performed by ICP- OES.)	mg/kg	2	n.d.			-
(Cd) (Cadmium (Cd))	IEC 62321-5: 2013 (IEC 62321-5: 2013 application of modified	mg/kg	2		n.d.		100
(Pb) (Lead (Pb))	digestion by surface etching, analysis was performed by ICP- OES.)	mg/kg	2		20.6		1000
(Hg) (Mercury (Hg))	IEC 62321-4: 2013+ AMD1: 2017 (IEC 62321-4: 2013+AMD1: 2017 application of modified digestion by surface etching, analysis was performed by ICP- OES.)	mg/kg	2		n.d.		1000
(Cd) (Cadmium (Cd))	IEC 62321-5: 2013 (With reference to IEC 62321-5: 2013,	mg/kg	2			n.d.	100
(Pb) (Lead (Pb))	analysis was performed by ICP-	mg/kg	2			37.6	1000
(Hg) (Mercury (Hg))	IEC 62321-4: 2013+ AMD1: 2017 (With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP- OES.)	mg/kg	2			n.d.	1000



(No.): ETR24305709

(Date): 12-Apr-2024

(Page): 8 of 23

Test Report

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

	(Test Items)	(Method)	(Unit)	MDL		(Result)		(Limit)
					No.1	No.2	No.3	
	(Hexavalent Chromium) Cr(VI)	IEC 62321-7-1: 2015	µg/cm²	0.1		n.d.	n.d.	-
(#2)		- (With reference to IEC 62321-7- 1: 2015, analysis was performed by UV-VIS.)						

(Test Items)	(Method)	(Unit)	MDL	(Result) No.4	(Limit)
(Be) (Beryllium (Be)) (CASNo.: 7440-41-7)	US EPA 3050B: 1996 (With reference to US EPA 3050B: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-

)

(Note)

 $1. mg/kg = ppm \quad 0.1wt\% = 0.1\% = 1000ppm$

2. MDL = Method Detection Limit (

3. n.d. = Not Detected (); MDL / Less than MDL

)

)

- 4. "-" = Not Regulated (
- 5. "---" = Not Conducted (
- 6. (#2) =

a. $0.13 \,\mu\text{g/cm}^2$. / The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than $0.13 \,\mu\text{g/cm}^2$. The sample coating is considered to contain Cr(VI). b. n.d. ($0.10 \,\mu\text{g/cm}^2$) . / The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than $0.10 \,\mu\text{g/cm}^2$). The coating is considered a non-Cr(VI) based coating c. $0.10 \quad 0.13 \,\mu\text{g/cm}^2$. / The result between $0.10 \,\mu\text{g/cm}^2$ and $0.13 \,\mu\text{g/cm}^2$ is considered to be inconclusive - unavoidable coating variations may influence the determination. 7. ILAC-G 8:09/2019 (w=0)

(Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)



(No.): ETR24305709

(Date): 12-Apr-2024

(Page): 9 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

PAHsRemark

(A fPS): G S PA H s AfPS (German commission for Product Safety): GS PAHs requirements 1 (Category 1) 2 (Category 2) 3 (Category 3)

(Parameter)



(No.): ETR24305709

(Date): 12-Apr-2024

(Page): 10 of 23

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

PFA S Remark PFA S PFA S PFA S PFA S PFA S (Group Name) (Substance Name) (PFO S-K) (PFO S-K) 2795-39-3 Potassium perfluorooctanesulfonate (PFOS-K)

(PFOS-Li) Perfluorooctanesulfonic acid, lithium salt (PFOS-Li) (PFOS-NH₄) Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH₄)

251099-16-8

29457-72-5



(PF

(No.): ETR24305709

(Date): 12-Apr-2024

(Page): 11 of 23

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

		CAS No.
(Group Name)	(Substance Name)	
	(POSF) Perfluorooctane sulfonyl fluoride (POSF)	307-35-7
PFOS, & FOS, its salts & derivatives)	(PFOS-Na) Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0
	Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluorooctanesulfonate	71463-74-6
	(PFOA-Na) Sodium perfluorooctanoate (PFOA-Na)	335-95-5



(No.): ETR24305709

(Date): 12-Apr-2024


(Page): 12 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart of heavy metal

These samples were dissolved totally by pre-conditioning method according to below flow chart. Cr⁶⁺ test method excluded





(No.): ETR24305709

(Date): 12-Apr-2024


(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Flow chart of stripping method for metal analysis

/ The plating layer

of samples were dissolved totally by pre-conditioning method according to below flow chart. Cr⁶⁺ test method excluded





(Page): 14 of 23

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of



(No.): ETR24305709

(Date): 12-Apr-2024


(Page): 15 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - Phthalate

/Test method: IEC 62321-8






(No.): ETR24305709

(Date): 12-Apr-2024

(Page): 16 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)



/ Analytical flow chart - HBCDD




(No.): ETR24305709

(Date): 12-Apr-2024

(Page): 17 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)



/ Analytical flow chart - Halogen



(No.): ETR24305709

(Date): 12-Apr-2024

(Page): 18 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(/ / /) / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)




(No.): ETR24305709

(Date): 12-Apr-2024

(Page): 19 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)





(No.): ETR24305709

(Date): 12-Apr-2024


(Page): 20 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

() / Analytical flow chart of elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart. /Reference method US EPA 3051A US EPA 3052





(No.): ETR24305709

(Date): 12-Apr-2024

(Page): 21 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)


6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

ICP-OES

(Flow chart of digestion for the elements analysis performed by ICP-OES)

/ These samples were dissolved totally by

pre-conditioning method according to below flow chart.



, , , / Steel, copper, aluminum, solder	, , , , / Aqua regia, HNO $_3$, HCI, HF, H $_2O_2$
/ Glass	, / HNO ₃ ,HF
, , , / Gold, platinum, palladium, ceramic	/ Aqua regia
/ Silver	/ HNO ₃
/ Plastic	, , , / H ₂ SO ₄ , H ₂ O ₂ , HNO ₃



(Page): 22 of 23

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of



(No.): ETR24305709

(Date): 12-Apr-2024

(Page): 23 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

(NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN) 6-8





(End of Report) **